

Astro-Cooler® Blanket 2014 Installation, Removal & Storage

9'x 53' Thermal Reflective Cargo Blankets
17 Blankets per pallet

6'x 110' Thermal Reflective Side Guard
15 Rolls per pallet

For further information contact:
916-381-3325

For full video instructions go to:
<http://astrocooler.com/video.html>

Astro-Cooler® Blanket Installation

Lightweight, easy to install and reusable,
our thermal blankets are available in a standard size of 9' wide x 53' long.
We also offer any custom size required including sizes for ocean containers and rail cars.
Astro-Cooler® Blankets are an economical alternative to reefers or heated trucks.

[View installation video HERE](#)

STEP 1

Center the blanket on top of the first two pallets. Unfold the blanket so that both edges are evenly spaced against the side walls. You may choose to tuck a small amount of the blanket between the first two pallets and the nose of the truck or container to prevent any movement during transit.



STEP 2

As you load each additional row of pallets, pull the blanket out over them until you reach the back of the load.



STEP 3

At the tail, pull the blanket down to the floor of the trailer. Tuck the blanket in on the floor and walls near the floor.



STEP 4

Close the trailer doors. You are finished!



Optional Installation:

A Rope-Pull option is available if you prefer to load the blanket on the first two pallets, and then load the balance of the trailer. After fully loaded, the blanket may be pulled out at one time with a rope all the way to the back of the load.

BLANKET REMOVAL & STORAGE

STEP 1

Pull blanket entirely out face up.

STEP 2

Fold in half so ends are flush - fabric has "memory" so creases will align.

STEP 3

Fold in half again, this time leaving a three foot section exposed.

STEP 4

Repeat *Step 3* several times until you have one four foot section plus three foot exposed section.



STEP 5

Fold over three foot exposed section.

STEP 6

Tri-Fold and stack on pallet for storage.




Blankets Folded, Palletized & Ready for Storage

Astro-SideGuard Installation

SideGuard is used in conjunction with an Astro-Cooler® Blanket or the Astro-Quilt®. It protects goods from damage due to conduction of heat or cold through the side walls of a container. SideGuard is 6' x 110' (you trim any excess length). Taller sizes can be produced for those shippers stacking pallets higher. [View Installation Video HERE.](#)

Install using standard or double sided tape to attach the SideGuard to the container wall:
A third snap-on option utilizing magnets is also available (not shown here)

1. Standard Tape: unroll the SideGuard as you move along the side walls of the container and attach tape every few feet as needed. Make sure that the foil side is facing in towards the load.



2. Double sided tape: First, apply tape to container walls. Second, peel off tape backing. Lastly, unroll SideGuard against the wall (Foil Facing In).



Once you finish installing the SideGuard, normal loading of the container can begin.

